

Exclusive Radiators

[Versatile SCH]

New Exclusive Product from Radiator Centre Ltd

Exclusive Exclusive Exclusive : The Versatile Single Convecter Horizontal is a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The Versatile comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... it's very hard to beat Many models in the standard colour are in stock now and can be delivered in 10 working days. Alternatively you can collect this model direct from our warehouse. Please note the flow is on the left

Specifications

<i>Models Available</i>	<i>432</i>
<i>Materials</i>	<i>Steel</i>
<i>Standard Finish</i>	<i>White</i>
<i>Connections</i>	<i>2 x 1/2" BSP connections</i>
<i>Pipe Centres</i>	<i>Width of radiator + valves</i>
<i>Delivery Details</i>	<i>Standard colour: < 10 Days</i>
<i>Delivery Charge</i>	<i>£15.00 per Radiator</i>
<i>Guarantee</i>	<i>5 years</i>
<i>Output Range</i>	<i>128 - 10068W</i>
<i>Stock availability</i>	<i>8 models in stock</i>




2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com





[Versatile SCH]

DIMENSIONAL DATA



2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

FIXING POSITIONS



[Dimensions in millimetres]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
In Stock Items:					
SCH 35/35/800	350	800	62	73	746
SCH 35/35/1200	350	1200	62	73	1120
SCH 42/42/700	420	700	62	73	746
SCH 42/42/800	420	800	62	73	853
SCH 42/42/1100	420	1100	62	73	1173
SCH 42/42/1200	420	1200	62	73	1279
SCH 49/49/600	490	600	62	73	715
SCH 49/49/800	490	800	62	73	954
SCH 49/49/900	490	900	62	73	1073
SCH 49/49/1000	490	1000	62	73	1192
SCH 49/49/1200	490	1200	62	73	1430
SCH 49/49/1500	490	1500	62	73	1788
SCH 49/49/1700	490	1700	62	73	2026
SCH 56/56/800	560	800	62	73	1051
SCH 56/56/1200	560	1200	62	73	1577
SCH 56/56/1500	560	1500	62	73	1971

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 7/7					
SCH 7/7/500	70	500	62	73	128
SCH 7/7/600	70	600	62	73	153
SCH 7/7/700	70	700	62	73	179
SCH 7/7/800	70	800	62	73	204
SCH 7/7/900	70	900	62	73	230
SCH 7/7/1000	70	1000	62	73	255
SCH 7/7/1100	70	1100	62	73	281
SCH 7/7/1200	70	1200	62	73	306
SCH 7/7/1300	70	1300	62	73	332
SCH 7/7/1400	70	1400	62	73	357
SCH 7/7/1500	70	1500	62	73	383
SCH 7/7/1600	70	1600	62	73	408
SCH 7/7/1700	70	1700	62	73	434
SCH 7/7/1800	70	1800	62	73	459
SCH 7/7/1900	70	1900	62	73	485
SCH 7/7/2000	70	2000	62	73	510

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 7/7/2200	70	2200	62	73	561
SCH 7/7/2400	70	2400	62	73	612
SCH 7/7/2600	70	2600	62	73	663
SCH 7/7/2800	70	2800	62	73	714
SCH 7/7/3000	70	3000	62	73	765
SCH 7/7/3200	70	3200	62	73	816
SCH 7/7/3400	70	3400	62	73	867
SCH 7/7/3600	70	3600	62	73	918
SCH 7/7/3800	70	3800	62	73	969
SCH 7/7/4000	70	4000	62	73	1020
SCH 7/7/4200	70	4200	62	73	1071
SCH 7/7/4400	70	4400	62	73	1122
SCH 7/7/4600	70	4600	62	73	1173
SCH 7/7/4800	70	4800	62	73	1224
SCH 7/7/5000	70	5000	62	73	1275
SCH 7/7/5200	70	5200	62	73	1326
SCH 7/7/5400	70	5400	62	73	1377
SCH 7/7/5600	70	5600	62	73	1428
SCH 7/7/5800	70	5800	62	73	1479
SCH 7/7/6000	70	6000	62	73	1530



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com



[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 14/14					
SCH 14/14/500	140	500	62	73	230
SCH 14/14/600	140	600	62	73	275
SCH 14/14/700	140	700	62	73	321
SCH 14/14/800	140	800	62	73	367
SCH 14/14/900	140	900	62	73	413
SCH 14/14/1000	140	1000	62	73	459
SCH 14/14/1100	140	1100	62	73	505
SCH 14/14/1200	140	1200	62	73	551
SCH 14/14/1300	140	1300	62	73	597
SCH 14/14/1400	140	1400	62	73	643
SCH 14/14/1500	140	1500	62	73	689
SCH14/14/1600	140	1600	62	73	734
SCH 14/14/1700	140	1700	62	73	780
SCH 14/14/1800	140	1800	62	73	826
SCH 14/14/1900	140	1900	62	73	872
SCH 14/14/2000	140	2000	62	73	918
SCH 14/14/2200	140	2200	62	73	1010
SCH 14/14/2400	140	2400	62	73	1102
SCH 14/14/2600	140	2600	62	73	1193
SCH 14/14/2800	140	2800	62	73	1285
SCH14/14/3000	140	3000	62	73	1377
SCH 14/14/3200	140	3200	62	73	1469
SCH 14/14/3400	140	3400	62	73	1561
SCH 14/14/3600	140	3600	62	73	1652

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 14/14/3800	140	3800	62	73	1744
SCH 14/14/4000	140	4000	62	73	1836
SCH 14/14/4200	140	4200	62	73	1928
SCH 14/14/4400	140	4400	62	73	2020
SCH 14/14/4600	140	4600	62	73	2110
SCH 14/14/4800	140	4800	62	73	2203
SCH 14/14/5000	140	5000	62	73	2295
SCH 14/14/5200	140	5200	62	73	2387
SCH 14/14/5400	140	5400	62	73	2479
SCH 14/14/5600	140	5600	62	73	2570
SCH 14/14/5800	140	5800	62	73	2662
SCH 14/14/6000	140	6000	62	73	2754
SCH 21/21					
SCH 21/21/500	210	500	62	73	318
SCH 21/21/600	210	600	62	73	382
SCH 21/21/700	210	700	62	73	445
SCH 21/21/800	210	800	62	73	509
SCH 21/21/900	210	900	62	73	572
SCH 21/21/1000	210	1000	62	73	636
SCH 21/21/1100	210	1100	62	73	700
SCH 21/21/1200	210	1200	62	73	763
SCH 21/21/1300	210	1300	62	73	827
SCH 21/21/1400	210	1400	62	73	890
SCH 21/21/1500	210	1500	62	73	954

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 21/21/1600	210	1600	62	73	1018
SCH 21/21/1700	210	1700	62	73	1081
SCH 21/21/1800	210	1800	62	73	1145
SCH 21/21/1900	210	1900	62	73	1208
SCH 21/21/2000	210	2000	62	73	1272
SCH 21/21/2200	210	2200	62	73	1339
SCH 21/21/2400	210	2400	62	73	1526
SCH 21/21/2600	210	2600	62	73	1654
SCH 21/21/2800	210	2800	62	73	1781
SCH 21/21/3000	210	3000	62	73	1908
SCH 21/21/3200	210	3200	62	73	2035
SCH 21/21/3400	210	3400	62	73	2162
SCH 21/21/3600	210	3600	62	73	2290
SCH 21/21/3800	210	3800	62	73	2417
SCH 21/21/4000	210	4000	62	73	2544
SCH 21/21/4200	210	4200	62	73	2671
SCH 21/21/4400	210	4400	62	73	2798
SCH 21/21/4600	210	4600	62	73	2926
SCH 21/21/4800	210	4800	62	73	3053
SCH 21/21/5000	210	5000	62	73	3180
SCH 21/21/5200	210	5200	62	73	3307
SCH 21/21/5400	210	5400	62	73	3434
SCH 21/21/5600	210	5600	62	73	3562
SCH 21/21/5800	210	5800	62	73	3689
SCH 21/21/6000	210	6000	62	73	3816



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 28/28					
SCH 28/28/500	280	500	62	73	399
SCH 28/28/600	280	600	62	73	478
SCH 28/28/700	280	700	62	73	558
SCH 28/28/800	280	800	62	73	663
SCH 28/28/900	280	900	62	73	671
SCH 28/28/1000	280	1000	62	73	797
SCH 28/28/1100	280	1100	62	73	877
SCH 28/28/1200	280	1200	62	73	956
SCH 28/28/1300	280	1300	62	73	1036
SCH 28/28/1400	280	1400	62	73	1116
SCH 28/28/1500	280	1500	62	73	1196
SCH 28/28/1600	280	1600	62	73	1275
SCH 28/28/1700	280	1700	62	73	1355
SCH 28/28/1800	280	1800	62	73	1435
SCH 28/28/1900	280	1900	62	73	1514
SCH 28/28/2000	280	2000	62	73	1594
SCH 28/28/2200	280	2200	62	73	1753
SCH 28/28/2400	280	2400	62	73	1913
SCH 28/28/2600	280	2600	62	73	2072
SCH 28/28/2800	280	2800	62	73	2232
SCH 28/28/3000	280	3000	62	73	2391
SCH 28/28/3200	280	3200	62	73	2550
SCH 28/28/3400	280	3400	62	73	2710
SCH 28/28/3600	280	3600	62	73	2869

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 28/28/3800	280	3800	62	73	3029
SCH 28/28/4000	280	4000	62	73	3188
SCH 28/28/4200	280	4200	62	73	3347
SCH 28/28/4400	280	4400	62	73	3507
SCH 28/28/4600	280	4600	62	73	3666
SCH 28/28/4800	280	4800	62	73	3826
SCH 28/28/5000	280	5000	62	73	3985
SCH 28/28/5200	280	5200	62	73	4144
SCH 28/28/5400	280	5400	62	73	4304
SCH 28/28/5600	280	5600	62	73	4463
SCH 28/28/5800	280	5800	62	73	4623
SCH 28/28/6000	280	6000	62	73	4782
SCH 35/35					
SCH 35/35/500	350	500	62	73	467
SCH 35/35/600	350	600	62	73	560
SCH 35/35/700	350	700	62	73	653
SCH 35/35/800	350	800	62	73	746
SCH 35/35/900	350	900	62	73	840
SCH 35/35/1000	350	1000	62	73	923
SCH 35/35/1100	350	1100	62	73	1026
SCH 35/35/1200	350	1200	62	73	1120
SCH 35/35/1300	350	1300	62	73	1213
SCH 35/35/1400	350	1400	62	73	1306
SCH 35/35/1500	350	1500	62	73	1400

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 35/35/1600	350	1600	62	73	1493
SCH 35/35/1700	350	1700	62	73	1586
SCH 35/35/1800	350	1800	62	73	1679
SCH 35/35/1900	350	1900	62	73	1773
SCH 35/35/2000	350	2000	62	73	1866
SCH 35/35/2200	350	2200	62	73	2053
SCH 35/35/2400	350	2400	62	73	2239
SCH 35/35/2600	350	2600	62	73	2426
SCH 35/35/2800	350	2800	62	73	2612
SCH 35/35/3000	350	3000	62	73	2729
SCH 35/35/3200	350	3200	62	73	2986
SCH 35/35/3400	350	3400	62	73	3172
SCH 35/35/3600	350	3600	62	73	3359
SCH 35/35/3800	350	3800	62	73	3545
SCH 35/35/4000	350	4000	62	73	3732
SCH 35/35/4200	350	4200	62	73	3919
SCH 35/35/4400	350	4400	62	73	4105
SCH 35/35/4600	350	4600	62	73	4292
SCH 35/35/4800	350	4800	62	73	4478
SCH 35/35/5000	350	5000	62	73	4665
SCH 35/35/5200	350	5200	62	73	4852
SCH 35/35/5400	350	5400	62	73	5038
SCH 35/35/5600	350	5600	62	73	5225
SCH 35/35/5800	350	5800	62	73	5411
SCH 35/35/6000	350	6000	62	73	5598



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 42/42					
SCH 42/42/500	420	500	62	73	533
SCH 42/42/600	420	600	62	73	640
SCH 42/42/700	420	700	62	73	746
SCH 42/42/800	420	800	62	73	853
SCH 42/42/900	420	900	62	73	959
SCH 42/42/1000	420	1000	62	73	1066
SCH 42/42/1100	420	1100	62	73	1173
SCH 42/42/1200	420	1200	62	73	1279
SCH 42/42/1300	420	1300	62	73	1386
SCH 42/42/1400	420	1400	62	73	1492
SCH 42/42/1500	420	1500	62	73	1599
SCH 42/42/1600	420	1600	62	73	1706
SCH 42/42/1700	420	1700	62	73	1812
SCH 42/42/1800	420	1800	62	73	1919
SCH 42/42/1900	420	1900	62	73	2025
SCH 42/42/2000	420	2000	62	73	2132
SCH 42/42/2200	420	2200	62	73	2345
SCH 42/42/2400	420	2400	62	73	2558
SCH 42/42/2600	420	2600	62	73	2772
SCH 42/42/2800	420	2800	62	73	2985
SCH 42/42/3000	420	3000	62	73	3198
SCH 42/42/3200	420	3200	62	73	3411
SCH 42/42/3400	420	3400	62	73	3624
SCH 42/42/3600	420	3600	62	73	3838

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 42/42/3800	420	3800	62	73	4051
SCH 42/42/4000	420	4000	62	73	4264
SCH 42/42/4200	420	4200	62	73	4477
SCH 42/42/4400	420	4400	62	73	4690
SCH 42/42/4600	420	4600	62	73	4904
SCH 42/42/4800	420	4800	62	73	5117
SCH 42/42/5000	420	5000	62	73	5330
SCH 42/42/5200	420	5200	62	73	5543
SCH 42/42/5400	420	5400	62	73	5756
SCH 42/42/5600	420	5600	62	73	5970
SCH 42/42/5800	420	5800	62	73	6183
SCH 42/42/6000	420	6000	62	73	6396
SCH 49/49					
SCH 49/49/500	490	500	62	73	596
SCH 49/49/600	490	600	62	73	715
SCH 49/49/700	490	700	62	73	834
SCH 49/49/800	490	800	62	73	954
SCH 49/49/900	490	900	62	73	1037
SCH 49/49/1000	490	1000	62	73	1192
SCH 49/49/1100	490	1100	62	73	1311
SCH 49/49/1200	490	1200	62	73	1430
SCH 49/49/1300	490	1300	62	73	1550
SCH 49/49/1400	490	1400	62	73	1669
SCH 49/49/1500	490	1500	62	73	1788

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 49/49/1600	490	1600	62	73	1907
SCH 49/49/1700	490	1700	62	73	2026
SCH 49/49/1800	490	1800	62	73	2146
SCH 49/49/1900	490	1900	62	73	2265
SCH 49/49/2000	490	2000	62	73	2384
SCH 49/49/2200	490	2200	62	73	2622
SCH 49/49/2400	490	2400	62	73	2861
SCH 49/49/2600	490	2600	62	73	3099
SCH 49/49/2800	490	2800	62	73	3338
SCH 49/49/3000	490	3000	62	73	3576
SCH 49/49/3200	490	3200	62	73	3814
SCH 49/49/3400	490	3400	62	73	4053
SCH 49/49/3600	490	3600	62	73	4291
SCH 49/49/3800	490	3800	62	73	4530
SCH 49/49/4000	490	4000	62	73	4768
SCH 49/49/4200	490	4200	62	73	5006
SCH 49/49/4400	490	4400	62	73	5245
SCH 49/49/4600	490	4600	62	73	5483
SCH 49/49/4800	490	4800	62	73	5722
SCH 49/49/5000	490	5000	62	73	5960
SCH 49/49/5200	490	5200	62	73	6198
SCH 49/49/5400	490	5400	62	73	6437
SCH 49/49/5600	490	5600	62	73	6675
SCH 49/49/5800	490	5800	62	73	6914
SCH 49/49/6000	490	6000	62	73	7152



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 56/56					
SCH 56/56/500	560	500	62	73	657
SCH 56/56/600	560	600	62	73	788
SCH 56/56/700	560	700	62	73	920
SCH 56/56/800	560	800	62	73	1051
SCH 56/56/900	560	900	62	73	1183
SCH 56/56/1000	560	1000	62	73	1314
SCH 56/56/1100	560	1100	62	73	1445
SCH 56/56/1200	560	1200	62	73	1577
SCH 56/56/1300	560	1300	62	73	1708
SCH 56/56/1400	560	1400	62	73	1840
SCH 56/56/1500	560	1500	62	73	1971
SCH 56/56/1600	560	1600	62	73	2102
SCH 56/56/1700	560	1700	62	73	2234
SCH 56/56/1800	560	1800	62	73	2365
SCH 56/56/1900	560	1900	62	73	2497
SCH 56/56/2000	560	2000	62	73	2628
SCH 56/56/2200	560	2200	62	73	2891
SCH 56/56/2400	560	2400	62	73	3154
SCH 56/56/2600	560	2600	62	73	3416
SCH 56/56/2800	560	2800	62	73	3679
SCH 56/56/3000	560	3000	62	73	3942
SCH 56/56/3200	560	3200	62	73	4205
SCH 56/56/3400	560	3400	62	73	4468
SCH 56/56/3600	560	3600	62	73	4730

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 56/56/3800					
SCH 56/56/3800	560	3800	62	73	4993
SCH 56/56/4000	560	4000	62	73	5256
SCH 56/56/4200	560	4200	62	73	5519
SCH 56/56/4400	560	4400	62	73	5782
SCH 56/56/4600	560	4600	62	73	6044
SCH 56/56/4800	560	4800	62	73	6307
SCH 56/56/5000	560	5000	62	73	6570
SCH 56/56/5200	560	5200	62	73	6833
SCH 56/56/5400	560	5400	62	73	7096
SCH 56/56/5600	560	5600	62	73	7358
SCH 56/56/5800	560	5800	62	73	7621
SCH 56/56/6000	560	6000	62	73	7884
SCH 63/63					
SCH 63/63/500	630	500	62	73	715
SCH 63/63/600	630	600	62	73	857
SCH 63/63/700	630	700	62	73	1000
SCH 63/63/800	630	800	62	73	1143
SCH 63/63/900	630	900	62	73	1286
SCH 63/63/1000	630	1000	62	73	1429
SCH 63/63/1100	630	1100	62	73	1572
SCH 63/63/1200	630	1200	62	73	1715
SCH 63/63/1300	630	1300	62	73	1858
SCH 63/63/1400	630	1400	62	73	2001
SCH 63/63/1500	630	1500	62	73	2144

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 63/63/1600	630	1600	62	73	2286
SCH 63/63/1700	630	1700	62	73	2429
SCH 63/63/1800	630	1800	62	73	2572
SCH 63/63/1900	630	1900	62	73	2715
SCH 63/63/2000	630	2000	62	73	2858
SCH 63/63/2200	630	2200	62	73	3144
SCH 63/63/2400	630	2400	62	73	3430
SCH 63/63/2600	630	2600	62	73	3715
SCH 63/63/2800	630	2800	62	73	4001
SCH 63/63/3000	630	3000	62	73	4287
SCH 63/63/3200	630	3200	62	73	4573
SCH 63/63/3400	630	3400	62	73	4859
SCH 63/63/3600	630	3600	62	73	5144
SCH 63/63/3800	630	3800	62	73	5430
SCH 63/63/4000	630	4000	62	73	5716
SCH 63/63/4200	630	4200	62	73	6002
SCH 63/63/4400	630	4400	62	73	6288
SCH 63/63/4600	630	4600	62	73	6573
SCH 63/63/4800	630	4800	62	73	6859
SCH 63/63/5000	630	5000	62	73	7145
SCH 63/63/5200	630	5200	62	73	7431
SCH 63/63/5400	630	5400	62	73	7717
SCH 63/63/5600	630	5600	62	73	8002
SCH 63/63/5800	630	5800	62	73	8288
SCH 63/63/6000	630	6000	62	73	8574



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH70/70					
SCH70/70/500	700	500	62	73	766
SCH70/70/600	700	600	62	73	919
SCH70/70/700	700	700	62	73	1072
SCH70/70/800	700	800	62	73	1226
SCH70/70/900	700	900	62	73	1379
SCH70/70/1000	700	1000	62	73	1532
SCH70/70/1100	700	1100	62	73	1685
SCH70/70/1200	700	1200	62	73	1838
SCH70/70/1300	700	1300	62	73	1992
SCH70/70/1400	700	1400	62	73	2145
SCH70/70/1500	700	1500	62	73	2298
SCH70/70/1600	700	1600	62	73	2451
SCH70/70/1700	700	1700	62	73	2604
SCH70/70/1800	700	1800	62	73	2758
SCH70/70/1900	700	1900	62	73	2911
SCH70/70/2000	700	2000	62	73	3064
SCH70/70/2200	700	2200	62	73	3370
SCH70/70/2400	700	2400	62	73	3677
SCH70/70/2600	700	2600	62	73	3983
SCH70/70/2800	700	2800	62	73	4290
SCH70/70/3000	700	3000	62	73	4596
SCH70/70/3200	700	3200	62	73	4902
SCH70/70/3400	700	3400	62	73	5209
SCH70/70/3600	700	3600	62	73	5515

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH70/70/3800	700	3800	62	73	5822
SCH70/70/4000	700	4000	62	73	6128
SCH70/70/4200	700	4200	62	73	6434
SCH70/70/4400	700	4400	62	73	6741
SCH70/70/4600	700	4600	62	73	7047
SCH70/70/4800	700	4800	62	73	7354
SCH70/70/5000	700	5000	62	73	7660
SCH70/70/5200	700	5200	62	73	7966
SCH70/70/5400	700	5400	62	73	8273
SCH70/70/5600	700	5600	62	73	8579
SCH70/70/5800	700	5800	62	73	8886
SCH70/70/6000	700	6000	62	73	9192
SCH77/77					
SCH77/77/500	770	500	62	73	802
SCH77/77/600	770	600	62	73	962
SCH77/77/700	770	700	62	73	1123
SCH77/77/800	770	800	62	73	1283
SCH77/77/900	770	900	62	73	1444
SCH77/77/1000	770	1000	62	73	1604
SCH77/77/1100	770	1100	62	73	1764
SCH77/77/1200	770	1200	62	73	1925
SCH77/77/1300	770	1300	62	73	2085
SCH77/77/1400	770	1400	62	73	2246
SCH77/77/1500	770	1500	62	73	2406

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH77/77/1600	770	1600	62	73	2566
SCH77/77/1700	770	1700	62	73	2727
SCH77/77/1800	770	1800	62	73	2887
SCH77/77/1900	770	1900	62	73	3048
SCH77/77/2000	770	2000	62	73	3208
SCH77/77/2200	770	2200	62	73	3529
SCH77/77/2400	770	2400	62	73	3850
SCH77/77/2600	770	2600	62	73	4170
SCH77/77/2800	770	2800	62	73	4491
SCH77/77/3000	770	3000	62	73	4812
SCH77/77/3200	770	3200	62	73	5133
SCH77/77/3400	770	3400	62	73	5454
SCH77/77/3600	770	3600	62	73	5774
SCH77/77/3800	770	3800	62	73	6095
SCH77/77/4000	770	4000	62	73	6416
SCH77/77/4200	770	4200	62	73	6737
SCH77/77/4400	770	4400	62	73	7058
SCH77/77/4600	770	4600	62	73	7378
SCH77/77/4800	770	4800	62	73	7699
SCH77/77/5000	770	5000	62	73	8020
SCH77/77/5200	770	5200	62	73	8341
SCH77/77/5400	770	5400	62	73	8662
SCH77/77/5600	770	5600	62	73	8982
SCH77/77/5800	770	5800	62	73	9303
SCH77/77/6000	770	6000	62	73	9624



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCH]


CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 84/84					
SCH 84/84/500	840	500	62	73	839
SCH 84/84/600	840	600	62	73	1007
SCH 84/84/700	840	700	62	73	1175
SCH 84/84/800	840	800	62	73	1342
SCH 84/84/900	840	900	62	73	1510
SCH 84/84/1000	840	1000	62	73	1678
SCH 84/84/1100	840	1100	62	73	1846
SCH 84/84/1200	840	1200	62	73	2014
SCH 84/84/1300	840	1300	62	73	2181
SCH 84/84/1400	840	1400	62	73	2349
SCH 84/84/1500	840	1500	62	73	2517
SCH 84/84/1600	840	1600	62	73	2685
SCH 84/84/1700	840	1700	62	73	2853
SCH 84/84/1800	840	1800	62	73	3020
SCH 84/84/1900	840	1900	62	73	3188
SCH 84/84/2000	840	2000	62	73	3356
SCH 84/84/2200	840	2200	62	73	3692
SCH 84/84/2400	840	2400	62	73	4027
SCH 84/84/2600	840	2600	62	73	4363
SCH 84/84/2800	840	2800	62	73	4698
SCH 84/84/3000	840	3000	62	73	5034
SCH 84/84/3200	840	3200	62	73	5370
SCH 84/84/3400	840	3400	62	73	5705
SCH 84/84/3600	840	3600	62	73	6041

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SCH 84/84/3800	840	3800	62	73	6376
SCH 84/84/4000	840	4000	62	73	6712
SCH 84/84/4200	840	4200	62	73	7048
SCH 84/84/4400	840	4400	62	73	7383
SCH 84/84/4600	840	4600	62	73	7719
SCH 84/84/4800	840	4800	62	73	8054
SCH 84/84/5000	840	5000	62	73	8390
SCH 84/84/5200	840	5200	62	73	8726
SCH 84/84/5400	840	5400	62	73	9061
SCH 84/84/5600	840	5600	62	73	9397
SCH 84/84/5800	840	5800	62	73	9732
SCH 84/84/6000	840	6000	62	73	10068

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com



[Outputs: 90/70/20 Δt 60°C EN442]