

Exclusive Radiators

[Versatile SCV]

New Exclusive Product from Radiator Centre Ltd

Exclusive *Exclusive* Exclusive : The Versatile Single Convecter Vertical is a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The Versatile comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... it's very hard to beat Many models in the standard colour are in stock now and can be delivered within 10 days. Alternatively you can collect this model direct from our warehouse. Other models listed are in stock now and special bespoke orders and colours are available in only 5 weeks. Please note the flow is on the left

Specifications

| | |
|--------------------|----------------------------|
| Models Available | 220 |
| Materials | Steel |
| Standard Finish | White |
| Connections | 2 x 1/2" BSP connections |
| Pipe Centres | Width of radiator + valves |
| Delivery Details | Standard colour: < 10 Days |
| Delivery Charge | £15.00 per Radiator |
| Guarantee | 5 years |
| Output Range | 136 - 5140W |
| Stock availability | 13 models in stock |




2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com





Colour shown: RAL3003 Ruby Red

[Versatile SCV]

DIMENSIONAL DATA



FIXING POSITIONS



2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Dimensions in millimetres]

Exclusive Radiators

[Versatile SCV]

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|-----------------|-------------|------------|------------|-----------------|---------------|
| In Stock Items: | | | | | |
| SCV 100/280 | 1000 | 280 | 62 | 73 | 544 |
| SCV 120/140 | 1200 | 140 | 62 | 73 | 313 |
| SCV 120/280 | 1200 | 280 | 62 | 73 | 625 |
| SCV 120/420 | 1200 | 420 | 62 | 73 | 938 |
| SCV 140/280 | 1400 | 280 | 62 | 73 | 720 |
| SCV 160/210 | 1600 | 210 | 62 | 73 | 600 |
| SCV 160/280 | 1600 | 280 | 62 | 73 | 800 |
| SCV 160/490 | 1600 | 490 | 62 | 73 | 1394 |
| SCV 180/210 | 1800 | 210 | 62 | 73 | 654 |
| SCV 180/280 | 1800 | 280 | 62 | 73 | 880 |
| SCV 180/350 | 1800 | 350 | 62 | 73 | 1100 |
| SCV 180/420 | 1800 | 420 | 62 | 73 | 1309 |
| SCV 200/140 | 2000 | 140 | 62 | 73 | 476 |

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|--------------|-------------|------------|------------|-----------------|---------------|
| SCV 100 | | | | | |
| SCV 100/70 | 1000 | 70 | 62 | 73 | 136 |
| SCV 100/140 | 1000 | 140 | 62 | 73 | 272 |
| SCV 100/210 | 1000 | 210 | 62 | 73 | 408 |
| SCV 100/280 | 1000 | 280 | 62 | 73 | 544 |
| SCV 100/350 | 1000 | 350 | 62 | 73 | 680 |
| SCV 100/420 | 1000 | 420 | 62 | 73 | 816 |
| SCV 100/490 | 1000 | 490 | 62 | 73 | 952 |
| SCV 100/560 | 1000 | 560 | 62 | 73 | 1088 |
| SCV 100/630 | 1000 | 630 | 62 | 73 | 1224 |
| SCV 100/700 | 1000 | 700 | 62 | 73 | 1360 |
| SCV 100/770 | 1000 | 770 | 62 | 73 | 1496 |
| SCV 100/840 | 1000 | 840 | 62 | 73 | 1632 |
| SCV 100/910 | 1000 | 910 | 62 | 73 | 1768 |
| SCV 100/980 | 1000 | 980 | 62 | 73 | 1904 |
| SCV 100/1050 | 1000 | 1050 | 62 | 73 | 2040 |
| SCV 100/1120 | 1000 | 1120 | 62 | 73 | 2176 |
| SCV 100/1190 | 1000 | 1190 | 62 | 73 | 2312 |
| SCV 100/1260 | 1000 | 1260 | 62 | 73 | 2448 |
| SCV 100/1330 | 1000 | 1330 | 62 | 73 | 2584 |
| SCV 100/1400 | 1000 | 1400 | 62 | 73 | 2720 |

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|--------------|-------------|------------|------------|-----------------|---------------|
| SCV 120 | | | | | |
| SCV 120/70 | 1200 | 70 | 62 | 73 | 157 |
| SCV 120/140 | 1200 | 140 | 62 | 73 | 313 |
| SCV 120/210 | 1200 | 210 | 62 | 73 | 471 |
| SCV 120/280 | 1200 | 280 | 62 | 73 | 625 |
| SCV 120/350 | 1200 | 350 | 62 | 73 | 785 |
| SCV 120/420 | 1200 | 420 | 62 | 73 | 938 |
| SCV 120/490 | 1200 | 490 | 62 | 73 | 1099 |
| SCV 120/560 | 1200 | 560 | 62 | 73 | 1256 |
| SCV 120/630 | 1200 | 630 | 62 | 73 | 1413 |
| SCV 120/700 | 1200 | 700 | 62 | 73 | 1570 |
| SCV 120/770 | 1200 | 770 | 62 | 73 | 1727 |
| SCV 120/840 | 1200 | 840 | 62 | 73 | 1884 |
| SCV 120/910 | 1200 | 910 | 62 | 73 | 2041 |
| SCV 120/980 | 1200 | 980 | 62 | 73 | 2198 |
| SCV 120/1050 | 1200 | 1050 | 62 | 73 | 2355 |
| SCV 120/1120 | 1200 | 1120 | 62 | 73 | 2512 |
| SCV 120/1190 | 1200 | 1190 | 62 | 73 | 2669 |
| SCV 120/1260 | 1200 | 1260 | 62 | 73 | 2826 |
| SCV 120/1330 | 1200 | 1330 | 62 | 73 | 2983 |
| SCV 120/1400 | 1200 | 1400 | 62 | 73 | 3140 |



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCV]

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|--------------|----------------|---------------|---------------|--------------------|------------------|
| SCV 140 | | | | | |
| SCV 140/70 | 1400 | 70 | 62 | 73 | 180 |
| SCV 140/140 | 1400 | 140 | 62 | 73 | 360 |
| SCV 140/210 | 1400 | 210 | 62 | 73 | 540 |
| SCV 140/280 | 1400 | 280 | 62 | 73 | 720 |
| SCV 140/350 | 1400 | 350 | 62 | 73 | 900 |
| SCV 140/420 | 1400 | 420 | 62 | 73 | 1080 |
| SCV 140/490 | 1400 | 490 | 62 | 73 | 1260 |
| SCV 140/560 | 1400 | 560 | 62 | 73 | 1440 |
| SCV 140/630 | 1400 | 630 | 62 | 73 | 1620 |
| SCV 140/700 | 1400 | 700 | 62 | 73 | 1800 |
| SCV 140/770 | 1400 | 770 | 62 | 73 | 1980 |
| SCV 140/840 | 1400 | 840 | 62 | 73 | 2160 |
| SCV 140/910 | 1400 | 910 | 62 | 73 | 2340 |
| SCV 140/980 | 1400 | 980 | 62 | 73 | 2520 |
| SCV 140/1050 | 1400 | 1050 | 62 | 73 | 2700 |
| SCV 140/1120 | 1400 | 1120 | 62 | 73 | 2880 |
| SCV 140/1190 | 1400 | 1190 | 62 | 73 | 3060 |
| SCV 140/1260 | 1400 | 1260 | 62 | 73 | 3240 |
| SCV 140/1330 | 1400 | 1330 | 62 | 73 | 3420 |
| SCV 140/1400 | 1400 | 1400 | 62 | 73 | 3600 |

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|--------------|----------------|---------------|---------------|--------------------|------------------|
| SCV 160 | | | | | |
| SCV 160/70 | 1600 | 70 | 62 | 73 | 200 |
| SCV 160/140 | 1600 | 140 | 62 | 73 | 400 |
| SCV 160/210 | 1600 | 210 | 62 | 73 | 600 |
| SCV 160/280 | 1600 | 280 | 62 | 73 | 800 |
| SCV 160/350 | 1600 | 350 | 62 | 73 | 1000 |
| SCV 160/420 | 1600 | 420 | 62 | 73 | 1200 |
| SCV 160/490 | 1600 | 490 | 62 | 73 | 1394 |
| SCV 160/560 | 1600 | 560 | 62 | 73 | 1600 |
| SCV 160/630 | 1600 | 630 | 62 | 73 | 1800 |
| SCV 160/700 | 1600 | 700 | 62 | 73 | 2000 |
| SCV 160/770 | 1600 | 770 | 62 | 73 | 2200 |
| SCV 160/840 | 1600 | 840 | 62 | 73 | 2400 |
| SCV 160/910 | 1600 | 910 | 62 | 73 | 2600 |
| SCV 160/980 | 1600 | 980 | 62 | 73 | 2800 |
| SCV 160/1050 | 1600 | 1050 | 62 | 73 | 3000 |
| SCV 160/1120 | 1600 | 1120 | 62 | 73 | 3200 |
| SCV 160/1190 | 1600 | 1190 | 62 | 73 | 3400 |
| SCV 160/1260 | 1600 | 1260 | 62 | 73 | 3600 |
| SCV 160/1330 | 1600 | 1330 | 62 | 73 | 3800 |
| SCV 160/1400 | 1600 | 1400 | 62 | 73 | 4000 |

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|--------------|----------------|---------------|---------------|--------------------|------------------|
| SCV 180 | | | | | |
| SCV 180/70 | 1800 | 70 | 62 | 73 | 220 |
| SCV 180/140 | 1800 | 140 | 62 | 73 | 440 |
| SCV 180/210 | 1800 | 210 | 62 | 73 | 654 |
| SCV 180/280 | 1800 | 280 | 62 | 73 | 880 |
| SCV 180/350 | 1800 | 350 | 62 | 73 | 1100 |
| SCV 180/420 | 1800 | 420 | 62 | 73 | 1309 |
| SCV 180/490 | 1800 | 490 | 62 | 73 | 1540 |
| SCV 180/560 | 1800 | 560 | 62 | 73 | 1760 |
| SCV 180/630 | 1800 | 630 | 62 | 73 | 1980 |
| SCV 180/700 | 1800 | 700 | 62 | 73 | 2200 |
| SCV 180/770 | 1800 | 770 | 62 | 73 | 2420 |
| SCV 180/840 | 1800 | 840 | 62 | 73 | 2640 |
| SCV 180/910 | 1800 | 910 | 62 | 73 | 2860 |
| SCV 180/980 | 1800 | 980 | 62 | 73 | 3080 |
| SCV 180/1050 | 1800 | 1050 | 62 | 73 | 3300 |
| SCV 180/1120 | 1800 | 1120 | 62 | 73 | 3520 |
| SCV 180/1190 | 1800 | 1190 | 62 | 73 | 3740 |
| SCV 180/1260 | 1800 | 1260 | 62 | 73 | 3960 |
| SCV 180/1330 | 1800 | 1330 | 62 | 73 | 4180 |
| SCV 180/1400 | 1800 | 1400 | 62 | 73 | 4400 |



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SCV]

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|----------------|-------------|------------|------------|-----------------|---------------|
| SCV 200 | | | | | |
| SCV 200/70 | 2000 | 70 | 62 | 73 | 238 |
| SCV 200/140 | 2000 | 140 | 62 | 73 | 476 |
| SCV 200/210 | 2000 | 210 | 62 | 73 | 714 |
| SCV 200/280 | 2000 | 280 | 62 | 73 | 952 |
| SCV 200/420 | 2000 | 420 | 62 | 73 | 1428 |
| SCV 200/490 | 2000 | 490 | 62 | 73 | 1666 |
| SCV 200/560 | 2000 | 560 | 62 | 73 | 1904 |
| SCV 200/630 | 2000 | 630 | 62 | 73 | 2142 |
| SCV 200/700 | 2000 | 700 | 62 | 73 | 2380 |
| SCV 200/770 | 2000 | 770 | 62 | 73 | 2618 |
| SCV 200/840 | 2000 | 840 | 62 | 73 | 2856 |
| SCV 200/910 | 2000 | 910 | 62 | 73 | 3094 |
| SCV 200/980 | 2000 | 980 | 62 | 73 | 3332 |
| SCV 200/1050 | 2000 | 1050 | 62 | 73 | 3570 |
| SCV 200/1120 | 2000 | 1120 | 62 | 73 | 3808 |
| SCV 200/1190 | 2000 | 1190 | 62 | 73 | 4046 |
| SCV 200/1260 | 2000 | 1260 | 62 | 73 | 4284 |
| SCV 200/1330 | 2000 | 1330 | 62 | 73 | 4522 |
| SCV 200/1400 | 2000 | 1400 | 62 | 73 | 4760 |

| CODE | Height (mm) | Width (mm) | Depth (mm) | Projection (mm) | Power (watts) |
|----------------|-------------|------------|------------|-----------------|---------------|
| SCV 220 | | | | | |
| SCV 220/70 | 2200 | 70 | 62 | 73 | 257 |
| SCV 220/140 | 2200 | 140 | 62 | 73 | 514 |
| SCV 220/210 | 2200 | 210 | 62 | 73 | 771 |
| SCV 220/280 | 2200 | 280 | 62 | 73 | 1028 |
| SCV 220/350 | 2200 | 350 | 62 | 73 | 1285 |
| SCV 220/420 | 2200 | 420 | 62 | 73 | 1542 |
| SCV 220/490 | 2200 | 490 | 62 | 73 | 1799 |
| SCV 220/560 | 2200 | 560 | 62 | 73 | 2056 |
| SCV 220/630 | 2200 | 630 | 62 | 73 | 2313 |
| SCV 220/700 | 2200 | 700 | 62 | 73 | 2570 |
| SCV 220/770 | 2200 | 770 | 62 | 73 | 2827 |
| SCV 220/840 | 2200 | 840 | 62 | 73 | 3084 |
| SCV 220/910 | 2200 | 910 | 62 | 73 | 3341 |
| SCV 220/980 | 2200 | 980 | 62 | 73 | 3598 |
| SCV 220/1050 | 2200 | 1050 | 62 | 73 | 3855 |
| SCV 220/1120 | 2200 | 1120 | 62 | 73 | 4112 |
| SCV 220/1190 | 2200 | 1190 | 62 | 73 | 4369 |
| SCV 220/1260 | 2200 | 1260 | 62 | 73 | 4626 |
| SCV 220/1330 | 2200 | 1330 | 62 | 73 | 4883 |
| SCV 220/1400 | 2200 | 1400 | 62 | 73 | 5140 |



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]