

Exclusive Radiators

[Versatile SPH]

New Exclusive Product from Radiator Centre Ltd

Exclusive Exclusive Exclusive : The Versatile Single Panel Horizontal is a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The Versatile comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... it's very hard to beat Many models in the standard colour are in stock now and can be delivered in 10 working days. Alternatively you can collect this model direct from our warehouse. Please note the flow is on the left

Specifications

Models Available	432
Materials	Steel
Standard Finish	White
Connections	2 x 1/2" BSP connections
Pipe Centres	Width of radiator + valves
Delivery Details	Standard colour: < 10 Days
Delivery Charge	£15.00 per Radiator
Guarantee	5 years
Output Range	60 - 5970W
Stock availability	8 models in stock




2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com





Exclusive Radiators

[Versatile SPH]

DIMENSIONAL DATA



FIXING POSITIONS



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Dimensions in millimetres]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
In Stock Items:					
SPH 28/28/1000	280	1000	32	55	359
SPH 28/28/1500	280	1500	32	55	539
SPH 42/42/700	420	700	32	55	384
SPH 42/42/1600	420	1600	32	55	877
SPH 49/49/900	490	900	32	55	559
SPH 49/49/1400	490	1400	32	55	869
SPH 63/63/600	630	600	32	55	463
SPH 63/63/1200	630	1200	32	55	925

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 7/7					
SPH 7/7/500	70	500	32	55	60
SPH 7/7/600	70	600	32	55	72
SPH 7/7/700	70	700	32	55	84
SPH 7/7/800	70	800	32	55	96
SPH 7/7/900	70	900	32	55	108
SPH 7/7/1000	70	1000	32	55	120
SPH 7/7/1100	70	1100	32	55	132
SPH 7/7/1200	70	1200	32	55	144
SPH 7/7/1300	70	1300	32	55	156
SPH 7/7/1400	70	1400	32	55	168
SPH 7/7/1500	70	1500	32	55	180

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 7/7/1600	70	1600	32	55	192
SPH 7/7/1700	70	1700	32	55	204
SPH 7/7/1800	70	1800	32	55	216
SPH 7/7/1900	70	1900	32	55	228
SPH 7/7/2000	70	2000	32	55	240
SPH 7/7/2200	70	2200	32	55	264
SPH 7/7/2400	70	2400	32	55	288
SPH 7/7/2600	70	2600	32	55	312
SPH 7/7/2800	70	2800	32	55	336
SPH 7/7/3000	70	3000	32	55	360
SPH 7/7/3200	70	3200	32	55	384
SPH 7/7/3400	70	3400	32	55	408
SPH 7/7/3600	70	3600	32	55	432
SPH 7/7/3800	70	3800	32	55	456
SPH 7/7/4000	70	4000	32	55	480
SPH 7/7/4200	70	4200	32	55	504
SPH 7/7/4400	70	4400	32	55	528
SPH 7/7/4600	70	4600	32	55	552
SPH 7/7/4800	70	4800	32	55	576
SPH 7/7/5000	70	5000	32	55	600
SPH 7/7/5200	70	5200	32	55	624
SPH 7/7/5400	70	5400	32	55	648
SPH 7/7/5600	70	5600	32	55	672
SPH 7/7/5800	70	5800	32	55	696
SPH 7/7/6000	70	6000	32	55	720



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 14/14					
SPH 14/14/500	140	500	32	55	103
SPH 14/14/600	140	600	32	55	123
SPH 14/14/700	140	700	32	55	144
SPH 14/14/800	140	800	32	55	164
SPH 14/14/900	140	900	32	55	185
SPH 14/14/1000	140	1000	32	55	205
SPH 14/14/1100	140	1100	32	55	226
SPH 14/14/1200	140	1200	32	55	246
SPH 14/14/1300	140	1300	32	55	267
SPH 14/14/1400	140	1400	32	55	287
SPH 14/14/1500	140	1500	32	55	308
SPH14/14/1600	140	1600	32	55	328
SPH 14/14/1700	140	1700	32	55	349
SPH 14/14/1800	140	1800	32	55	369
SPH 14/14/1900	140	1900	32	55	390
SPH 14/14/2000	140	2000	32	55	410
SPH 14/14/2200	140	2200	32	55	451
SPH 14/14/2400	140	2400	32	55	492
SPH 14/14/2600	140	2600	32	55	533
SPH 14/14/2800	140	2800	32	55	574
SPH14/14/3000	140	3000	32	55	615
SPH 14/14/3200	140	3200	32	55	656
SPH 14/14/3400	140	3400	32	55	697
SPH 14/14/3600	140	3600	32	55	738

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 14/14/3800					
SPH 14/14/3800	140	3800	32	55	779
SPH 14/14/4000	140	4000	32	55	820
SPH 14/14/4200	140	4200	32	55	861
SPH 14/14/4400	140	4400	32	55	902
SPH 14/14/4600	140	4600	32	55	943
SPH 14/14/4800	140	4800	32	55	984
SPH 14/14/5000	140	5000	32	55	1025
SPH 14/14/5200	140	5200	32	55	1066
SPH 14/14/5400	140	5400	32	55	1107
SPH 14/14/5600	140	5600	32	55	1148
SPH 14/14/5800	140	5800	32	55	1189
SPH 14/14/6000	140	6000	32	55	1230
SPH 21/21					
SPH 21/21/500	210	500	32	55	140
SPH 21/21/600	210	600	32	55	168
SPH 21/21/700	210	700	32	55	196
SPH 21/21/800	210	800	32	55	224
SPH 21/21/900	210	900	32	55	252
SPH 21/21/1000	210	1000	32	55	280
SPH 21/21/1100	210	1100	32	55	308
SPH 21/21/1200	210	1200	32	55	336
SPH 21/21/1300	210	1300	32	55	364
SPH 21/21/1400	210	1400	32	55	392
SPH 21/21/1500	210	1500	32	55	420

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 21/21/1600	210	1600	32	55	448
SPH 21/21/1700	210	1700	32	55	476
SPH 21/21/1800	210	1800	32	55	504
SPH 21/21/1900	210	1900	32	55	532
SPH 21/21/2000	210	2000	32	55	560
SPH 21/21/2200	210	2200	32	55	616
SPH 21/21/2400	210	2400	32	55	672
SPH 21/21/2600	210	2600	32	55	728
SPH 21/21/2800	210	2800	32	55	784
SPH 21/21/3000	210	3000	32	55	840
SPH 21/21/3200	210	3200	32	55	896
SPH 21/21/3400	210	3400	32	55	952
SPH 21/21/3600	210	3600	32	55	1008
SPH 21/21/3800	210	3800	32	55	1064
SPH 21/21/4000	210	4000	32	55	1120
SPH 21/21/4200	210	4200	32	55	1176
SPH 21/21/4400	210	4400	32	55	1232
SPH 21/21/4600	210	4600	32	55	1288
SPH 21/21/4800	210	4800	32	55	1344
SPH 21/21/5000	210	5000	32	55	1400
SPH 21/21/5200	210	5200	32	55	1456
SPH 21/21/5400	210	5400	32	55	1512
SPH 21/21/5600	210	5600	32	55	1568
SPH 21/21/5800	210	5800	32	55	1624
SPH 21/21/6000	210	6000	32	55	1680



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 28/28						SPH 28/28/3800	280	3800	32	55	1364	SPH 35/35/1600	350	1600	32	55	712
SPH 28/28/500	280	500	32	55	180	SPH 28/28/4000	280	4000	32	55	1436	SPH 35/35/1700	350	1700	32	55	757
SPH 28/28/600	280	600	32	55	215	SPH 28/28/4200	280	4200	32	55	1508	SPH 35/35/1800	350	1800	32	55	801
SPH 28/28/700	280	700	32	55	251	SPH 28/28/4400	280	4400	32	55	1580	SPH 35/35/1900	350	1900	32	55	846
SPH 28/28/800	280	800	32	55	287	SPH 28/28/4600	280	4600	32	55	1651	SPH 35/35/2000	350	2000	32	55	890
SPH 28/28/900	280	900	32	55	323	SPH 28/28/4800	280	4800	32	55	1723	SPH 35/35/2200	350	2200	32	55	979
SPH 28/28/1000	280	1000	32	55	359	SPH 28/28/5000	280	5000	32	55	1795	SPH 35/35/2400	350	2400	32	55	1068
SPH 28/28/1100	280	1100	32	55	395	SPH 28/28/5200	280	5200	32	55	1867	SPH 35/35/2600	350	2600	32	55	1157
SPH 28/28/1200	280	1200	32	55	431	SPH 28/28/5400	280	5400	32	55	1939	SPH 35/35/2800	350	2800	32	55	1246
SPH 28/28/1300	280	1300	32	55	467	SPH 28/28/5600	280	5600	32	55	2010	SPH 35/35/3000	350	3000	32	55	1335
SPH 28/28/1400	280	1400	32	55	503	SPH 28/28/5800	280	5800	32	55	2082	SPH 35/35/3200	350	3200	32	55	1424
SPH 28/28/1500	280	1500	32	55	539	SPH 28/28/6000	280	6000	32	55	2154	SPH 35/35/3400	350	3400	32	55	1513
SPH 28/28/1600	280	1600	32	55	574							SPH 35/35/3600	350	3600	32	55	1602
SPH 28/28/1700	280	1700	32	55	610	SPH 35/35						SPH 35/35/3800	350	3800	32	55	1691
SPH 28/28/1800	280	1800	32	55	646	SPH 35/35/500	350	500	32	55	223	SPH 35/35/4000	350	4000	32	55	1780
SPH 28/28/1900	280	1900	32	55	682	SPH 35/35/600	350	600	32	55	267	SPH 35/35/4200	350	4200	32	55	1869
SPH 28/28/2000	280	2000	32	55	718	SPH 35/35/700	350	700	32	55	312	SPH 35/35/4400	350	4400	32	55	1958
SPH 28/28/2200	280	2200	32	55	790	SPH 35/35/800	350	800	32	55	356	SPH 35/35/4600	350	4600	32	55	2047
SPH 28/28/2400	280	2400	32	55	862	SPH 35/35/900	350	900	32	55	401	SPH 35/35/4800	350	4800	32	55	2136
SPH 28/28/2600	280	2600	32	55	933	SPH 35/35/1000	350	1000	32	55	445	SPH 35/35/5000	350	5000	32	55	2225
SPH 28/28/2800	280	2800	32	55	1005	SPH 35/35/1100	350	1100	32	55	490	SPH 35/35/5200	350	5200	32	55	2314
SPH 28/28/3000	280	3000	32	55	1077	SPH 35/35/1200	350	1200	32	55	534	SPH 35/35/5400	350	5400	32	55	2403
SPH 28/28/3200	280	3200	32	55	1149	SPH 35/35/1300	350	1300	32	55	579	SPH 35/35/5600	350	5600	32	55	2492
SPH 28/28/3400	280	3400	32	55	1221	SPH 35/35/1400	350	1400	32	55	623	SPH 35/35/5800	350	5800	32	55	2581
SPH 28/28/3600	280	3600	32	55	1292	SPH 35/35/1500	350	1500	32	55	668	SPH 35/35/6000	350	6000	32	55	2670



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 42/42					
SPH 42/42/500	420	500	32	55	274
SPH 42/42/600	420	600	32	55	329
SPH 42/42/700	420	700	32	55	384
SPH 42/42/800	420	800	32	55	438
SPH 42/42/900	420	900	32	55	493
SPH 42/42/1000	420	1000	32	55	548
SPH 42/42/1100	420	1100	32	55	603
SPH 42/42/1200	420	1200	32	55	658
SPH 42/42/1300	420	1300	32	55	712
SPH 42/42/1400	420	1400	32	55	767
SPH 42/42/1500	420	1500	32	55	822
SPH 42/42/1600	420	1600	32	55	877
SPH 42/42/1700	420	1700	32	55	932
SPH 42/42/1800	420	1800	32	55	986
SPH 42/42/1900	420	1900	32	55	1041
SPH 42/42/2000	420	2000	32	55	1096
SPH 42/42/2200	420	2200	32	55	1206
SPH 42/42/2400	420	2400	32	55	1315
SPH 42/42/2600	420	2600	32	55	1425
SPH 42/42/2800	420	2800	32	55	1534
SPH 42/42/3000	420	3000	32	55	1644
SPH 42/42/3200	420	3200	32	55	1754
SPH 42/42/3400	420	3400	32	55	1863
SPH 42/42/3600	420	3600	32	55	1973

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 42/42/3800	420	3800	32	55	2082
SPH 42/42/4000	420	4000	32	55	2192
SPH 42/42/4200	420	4200	32	55	2302
SPH 42/42/4400	420	4400	32	55	2411
SPH 42/42/4600	420	4600	32	55	2521
SPH 42/42/4800	420	4800	32	55	2630
SPH 42/42/5000	420	5000	32	55	2740
SPH 42/42/5200	420	5200	32	55	2850
SPH 42/42/5400	420	5400	32	55	2959
SPH 42/42/5600	420	5600	32	55	3069
SPH 42/42/5800	420	5800	32	55	3178
SPH 42/42/6000	420	6000	32	55	3288
SPH 49/49					
SPH 49/49/500	490	500	32	55	311
SPH 49/49/600	490	600	32	55	373
SPH 49/49/700	490	700	32	55	435
SPH 49/49/800	490	800	32	55	497
SPH 49/49/900	490	900	32	55	559
SPH 49/49/1000	490	1000	32	55	621
SPH 49/49/1100	490	1100	32	55	683
SPH 49/49/1200	490	1200	32	55	745
SPH 49/49/1300	490	1300	32	55	807
SPH 49/49/1400	490	1400	32	55	869
SPH 49/49/1500	490	1500	32	55	932

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 49/49/1600	490	1600	32	55	994
SPH 49/49/1700	490	1700	32	55	1056
SPH 49/49/1800	490	1800	32	55	1118
SPH 49/49/1900	490	1900	32	55	1180
SPH 49/49/2000	490	2000	32	55	1242
SPH 49/49/2200	490	2200	32	55	1366
SPH 49/49/2400	490	2400	32	55	1490
SPH 49/49/2600	490	2600	32	55	1615
SPH 49/49/2800	490	2800	32	55	1739
SPH 49/49/3000	490	3000	32	55	1863
SPH 49/49/3200	490	3200	32	55	1987
SPH 49/49/3400	490	3400	32	55	2111
SPH 49/49/3600	490	3600	32	55	2236
SPH 49/49/3800	490	3800	32	55	2360
SPH 49/49/4000	490	4000	32	55	2484
SPH 49/49/4200	490	4200	32	55	2608
SPH 49/49/4400	490	4400	32	55	2732
SPH 49/49/4600	490	4600	32	55	2857
SPH 49/49/4800	490	4800	32	55	2981
SPH 49/49/5000	490	5000	32	55	3105
SPH 49/49/5200	490	5200	32	55	3229
SPH 49/49/5400	490	5400	32	55	3353
SPH 49/49/5600	490	5600	32	55	3478
SPH 49/49/5800	490	5800	32	55	3602
SPH 49/49/6000	490	6000	32	55	3726



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 56/56					
SPH 56/56/500	560	500	32	55	348
SPH 56/56/600	560	600	32	55	417
SPH 56/56/700	560	700	32	55	487
SPH 56/56/800	560	800	32	55	556
SPH 56/56/900	560	900	32	55	626
SPH 56/56/1000	560	1000	32	55	695
SPH 56/56/1100	560	1100	32	55	765
SPH 56/56/1200	560	1200	32	55	834
SPH 56/56/1300	560	1300	32	55	904
SPH 56/56/1400	560	1400	32	55	973
SPH 56/56/1500	560	1500	32	55	1043
SPH 56/56/1600	560	1600	32	55	1112
SPH 56/56/1700	560	1700	32	55	1182
SPH 56/56/1800	560	1800	32	55	1251
SPH 56/56/1900	560	1900	32	55	1321
SPH 56/56/2000	560	2000	32	55	1390
SPH 56/56/2200	560	2200	32	55	1529
SPH 56/56/2400	560	2400	32	55	1668
SPH 56/56/2600	560	2600	32	55	1807
SPH 56/56/2800	560	2800	32	55	1946
SPH 56/56/3000	560	3000	32	55	2085
SPH 56/56/3200	560	3200	32	55	2224
SPH 56/56/3400	560	3400	32	55	2363
SPH 56/56/3600	560	3600	32	55	2502

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 56/56/3800	560	3800	32	55	2641
SPH 56/56/4000	560	4000	32	55	2780
SPH 56/56/4200	560	4200	32	55	2919
SPH 56/56/4400	560	4400	32	55	3058
SPH 56/56/4600	560	4600	32	55	3197
SPH 56/56/4800	560	4800	32	55	3336
SPH 56/56/5000	560	5000	32	55	3475
SPH 56/56/5200	560	5200	32	55	3614
SPH 56/56/5400	560	5400	32	55	3753
SPH 56/56/5600	560	5600	32	55	3892
SPH 56/56/5800	560	5800	32	55	4031
SPH 56/56/6000	560	6000	32	55	4170
SPH 63/63					
SPH 63/63/500	630	500	32	55	386
SPH 63/63/600	630	600	32	55	463
SPH 63/63/700	630	700	32	55	540
SPH 63/63/800	630	800	32	55	617
SPH 63/63/900	630	900	32	55	694
SPH 63/63/1000	630	1000	32	55	771
SPH 63/63/1100	630	1100	32	55	848
SPH 63/63/1200	630	1200	32	55	925
SPH 63/63/1300	630	1300	32	55	1002
SPH 63/63/1400	630	1400	32	55	1079
SPH 63/63/1500	630	1500	32	55	1157

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 63/63/1600	630	1600	32	55	1234
SPH 63/63/1700	630	1700	32	55	1311
SPH 63/63/1800	630	1800	32	55	1388
SPH 63/63/1900	630	1900	32	55	1465
SPH 63/63/2000	630	2000	32	55	1542
SPH 63/63/2200	630	2200	32	55	1696
SPH 63/63/2400	630	2400	32	55	1850
SPH 63/63/2600	630	2600	32	55	2005
SPH 63/63/2800	630	2800	32	55	2159
SPH 63/63/3000	630	3000	32	55	2313
SPH 63/63/3200	630	3200	32	55	2467
SPH 63/63/3400	630	3400	32	55	2621
SPH 63/63/3600	630	3600	32	55	2776
SPH 63/63/3800	630	3800	32	55	2930
SPH 63/63/4000	630	4000	32	55	3084
SPH 63/63/4200	630	4200	32	55	3238
SPH 63/63/4400	630	4400	32	55	3392
SPH 63/63/4600	630	4600	32	55	3547
SPH 63/63/4800	630	4800	32	55	3701
SPH 63/63/5000	630	5000	32	55	3855
SPH 63/63/5200	630	5200	32	55	4009
SPH 63/63/5400	630	5400	32	55	4163
SPH 63/63/5600	630	5600	32	55	4318
SPH 63/63/5800	630	5800	32	55	4472
SPH 63/63/6000	630	6000	32	55	4626



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 70/70						SPH70/70/3800						SPH77/77/1600					
SPH70/70/500	700	500	32	55	412	SPH70/70/4000	700	4000	32	55	3292	SPH77/77/1700	770	1700	32	55	1567
SPH70/70/600	700	600	32	55	494	SPH70/70/4200	700	4200	32	55	3457	SPH77/77/1800	770	1800	32	55	1660
SPH70/70/700	700	700	32	55	576	SPH70/70/4400	700	4400	32	55	3621	SPH77/77/1900	770	1900	32	55	1752
SPH70/70/800	700	800	32	55	658	SPH70/70/4600	700	4600	32	55	3786	SPH77/77/2000	770	2000	32	55	1844
SPH70/70/900	700	900	32	55	741	SPH70/70/4800	700	4800	32	55	3950	SPH77/77/2200	770	2200	32	55	2028
SPH70/70/1000	700	1000	32	55	823	SPH70/70/5000	700	5000	32	55	4115	SPH77/77/2400	770	2400	32	55	2213
SPH70/70/1100	700	1100	32	55	905	SPH70/70/5200	700	5200	32	55	4280	SPH77/77/2600	770	2600	32	55	2397
SPH70/70/1200	700	1200	32	55	988	SPH70/70/5400	700	5400	32	55	4444	SPH77/77/2800	770	2800	32	55	2582
SPH70/70/1300	700	1300	32	55	1070	SPH70/70/5600	700	5600	32	55	4609	SPH77/77/3000	770	3000	32	55	2766
SPH70/70/1400	700	1400	32	55	1152	SPH70/70/5800	700	5800	32	55	4773	SPH77/77/3200	770	3200	32	55	2950
SPH70/70/1500	700	1500	32	55	1235	SPH70/70/6000	700	6000	32	55	4938	SPH77/77/3400	770	3400	32	55	3135
SPH70/70/1600	700	1600	32	55	1370	SPH 77/77						SPH77/77/3600	770	3600	32	55	3319
SPH70/70/1700	700	1700	32	55	1399	SPH77/77/500	770	500	32	55	461	SPH77/77/3800	770	3800	32	55	3504
SPH70/70/1800	700	1800	32	55	1481	SPH77/77/600	770	600	32	55	553	SPH77/77/4000	770	4000	32	55	3688
SPH70/70/1900	700	1900	32	55	1564	SPH77/77/700	770	700	32	55	645	SPH77/77/4200	770	4200	32	55	3872
SPH70/70/2000	700	2000	32	55	1646	SPH77/77/800	770	800	32	55	738	SPH77/77/4400	770	4400	32	55	4057
SPH70/70/2200	700	2200	32	55	1811	SPH77/77/900	770	900	32	55	830	SPH77/77/4600	770	4600	32	55	4241
SPH70/70/2400	700	2400	32	55	1975	SPH77/77/1000	770	1000	32	55	922	SPH77/77/4800	770	4800	32	55	4426
SPH70/70/2600	700	2600	32	55	2140	SPH77/77/1100	770	1100	32	55	1014	SPH77/77/5000	770	5000	32	55	4610
SPH70/70/2800	700	2800	32	55	2304	SPH77/77/1200	770	1200	32	55	1116	SPH77/77/5200	770	5200	32	55	4794
SPH70/70/3000	700	3000	32	55	2469	SPH77/77/1300	770	1300	32	55	1199	SPH77/77/5400	770	5400	32	55	4979
SPH70/70/3200	700	3200	32	55	2634	SPH77/77/1400	770	1400	32	55	1291	SPH77/77/5600	770	5600	32	55	5163
SPH70/70/3400	700	3400	32	55	2798	SPH77/77/1500	770	1500	32	55	1383	SPH77/77/5800	770	5800	32	55	5348
SPH70/70/3600	700	3600	32	55	2963							SPH77/77/6000	770	6000	32	55	5532



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPH]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 84/84					
SPH 84/84/500	840	500	32	55	498
SPH 84/84/600	840	600	32	55	597
SPH 84/84/700	840	700	32	55	697
SPH 84/84/800	840	800	32	55	796
SPH 84/84/900	840	900	32	55	896
SPH 84/84/1000	840	1000	32	55	995
SPH 84/84/1100	840	1100	32	55	1095
SPH 84/84/1200	840	1200	32	55	1194
SPH 84/84/1300	840	1300	32	55	1294
SPH 84/84/1400	840	1400	32	55	1393
SPH 84/84/1500	840	1500	32	55	1493
SPH 84/84/1600	840	1600	32	55	1592
SPH 84/84/1700	840	1700	32	55	1692
SPH 84/84/1800	840	1800	32	55	1791
SPH 84/84/1900	840	1900	32	55	1891
SPH 84/84/2000	840	2000	32	55	1990
SPH 84/84/2200	840	2200	32	55	2189
SPH 84/84/2400	840	2400	32	55	2388
SPH 84/84/2600	840	2600	32	55	2587
SPH 84/84/2800	840	2800	32	55	2786
SPH 84/84/3000	840	3000	32	55	2985
SPH 84/84/3200	840	3200	32	55	3184
SPH 84/84/3400	840	3400	32	55	3383
SPH 84/84/3600	840	3600	32	55	3582

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPH 84/84/3800	840	3800	32	55	3781
SPH 84/84/4000	840	4000	32	55	3980
SPH 84/84/4200	840	4200	32	55	4179
SPH 84/84/4400	840	4400	32	55	4378
SPH 84/84/4600	840	4600	32	55	4577
SPH 84/84/4800	840	4800	32	55	4776
SPH 84/84/5000	840	5000	32	55	4975
SPH 84/84/5200	840	5200	32	55	5174
SPH 84/84/5400	840	5400	32	55	5373
SPH 84/84/5600	840	5600	32	55	5572
SPH 84/84/5800	840	5800	32	55	5771
SPH 84/84/6000	840	6000	32	55	5970

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------



[Outputs: 90/70/20 Δt 60°C EN442]



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com